DATE: 29 Mar 00

STATEMENT OF WORK (SOW)

for the
Rebuild
of the
AN/TPS-63 (B)
Gearbox Assembly
NSN 5840-01-114-2406

SOW-00-844-2-89177B-1/1

- 1. This SOW identifies the work effort that shall be performed by the Contractor to rebuild the AN/TPS-63 (B) Gearbox Assembly NSN 5840-01-114-2406, part number AL-10056 CAGE 08484.
- 2. The attached manuscript has been reviewed and is concurred upon by the following signers:

LAWRENCE E HERNDON

Weapon Systems Manager

Radar Systems Section (Code 844-2)

MARCORSYSCOM, Albany, GA

PATRICIA A HUGYA

Team Leader

Inventory Management Specialist

(Code 844-2)

MARCORSYSCOM, Albany, GA

RICHARD E JONES

Team Leader

Equipment Specialist

(Code 844-2)

MARCORSYSCOM, Albany, GA

STATEMENT OF WORK (SOW)
for the
Rebuild
of the
AN/TPS-63 (B)
Gearbox Assembly
NSN 5840-01-114-2406

- 1.0 <u>Scope.</u> This SOW identifies the work effort that shall be performed by the Contractor to rebuild the AN/TPS-63 (B) Gearbox Assembly NSN 5840-01-114-2406, part number AL-10056 CAGE 08484. This document contains requirements to restore the Gearbox Assembly to Condition Code "A." Condition Code "A" is defined as "serviceable/issuable without qualification; new, used, repaired or reconditioned material that is serviceable and issuable to all customers without limitation or restriction, including material with more than 6 months shelf-life remaining."
- 1.1 <u>Background</u>. Rebuild is defined as "That maintenance technique to restore an item to a standard as near as possible to original or new condition in appearance, performance, and life expectancy. This is accomplished through a maintenance technique or complete disassembly of the item, inspection of all parts or components, repair or replacement of worn or unserviceable parts/elements using original manufacturing tolerances and/or specifications and subsequent reassembly of the item."
- Applicable Documents. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DoDISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirements.
- 2.1 Military Standards

MIL-STD-2073-IC DOD Standard Practice for Military Packaging

MIL-STD-129 DOD Standard Practice for Military Marking

Military Standards (For Reference Only)

MIL-STD-973 Configuration Management

2.2 <u>Other Government Documents and Publications</u>. The latest issues of those documents cited below shall be used.

AL-10056 Drawing, Gearbox Assembly

ANSI/ISO/ASQC Q9003-1994

Quality Systems - Model for Quality Assurance in Final Inspection and Test

Copies of Military Standards and Specifications are available from the DOD Single Stock Point, Defense Automation Production Service Philadelphia, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, Telephone (215) 697-2179 or DSN 442-2179, or http://dodssp.daps.mil. Copies of other government publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Commander, Attn: Contracting Officer (Code 891), Marine Corps Logistics Base, 814 Radford Blvd., Albany, GA 31704-1128, commercial telephone number (912) 439-6761 or DSN 567-6761. Copies of engineering drawings shall be obtained from: Life Cycle Management Center, Attn (Code 825-3), 814 Radford Blvd Suite 20320, Albany GA 31704-0320, commercial telephone number (912) 439-6410 or DSN 567-6410.

3.0 Requirements.

3.1 The Contractor shall rebuild the Gearbox Assembly strictly in accordance with the requirements as specified in AL-10056 CAGE 08484. Additionally, all seals/gaskets and bearings/bearing assemblies shall be replaced. Mechanical repairs, including any necessary repairs to the Gearbox Assembly castings, shall be performed as required. Surface preparation, to correct/prevent corrosion damage, painting, and restenciling/replacement of decals shall also be accomplished on all Gearbox Assemblies inducted for repair. All Gearbox Assemblies will be filled with the appropriate lubricant to the proper operating level, and tagged accordingly. The Contractor shall be responsible for developing a test plan, and documenting the test results in a Test Data Report (TDR). The Contractor shall be responsible for all parts, materials, labor, facilities, tools, and test equipment necessary to rebuild the equipment in accordance with this SOW.

3.2 Packaging, Handling, Storage and Transportation (PHS&T)

- 3.2.1 The Contractor shall be responsible for preservation and packaging of items to be delivered under the terms of this SOW. Items being prepared for long-term storage or overseas (OCONUS) shipment shall be in accordance with level "A" requirements of MIL-STD-2073-1C, Method 32. Items being prepared for immediate use and domestic (CONUS) delivery shall be in accordance with level "B" requirements. Level "A" preservation and packaging shall normally be required, due to the anticipated long-term storage requirements. Exceptions (items that have a confirmed immediate use CONUS requirement) will be identified, in writing, by the WSM.
- 3.2.2 Marking shall be in accordance with MIL-STD-129.
- 3.2.3 The Marine Corps will provide the Contractor with the shipping address(es) for delivery of the repaired equipment. The Contractor shall be responsible for arranging for shipment to the predesignated site(s). The Marine Corps will be responsible for transportation costs associated with shipping and the subject equipment to and from the Contractor.
- 3.3 <u>Configuration Control</u>. The contractor shall apply configuration control to established configuration items. Deviations from this established baseline configuration shall not be allowed without the express written approval of the Weapon System Manager (WSM) (Code 844-2). If

necessary to temporarily depart from the authorized configuration baseline, the contractor shall prepare and submit a Request for Deviation or Request for Waiver. MIL-STD-973 (paragraph 5.4.3 or 5.4.4 and Appendix E) may be used as a guide.

- 3.4 Government Furnished Equipment (GFE) and Government Furnished Materiel (GFM) The Management Control Activity (MCA/Code 827-2) will coordinate Government Furnished Equipment/Government Furnished Materiel (GFE/GFM) requests and maintain a central control system on all government owned assets in the Contractor's possession. The MCA will forward a GFE/GFM Accountability Agreement to the Contractor for signature to establish a chain of custody and identify property responsibilities for Marine Corps Assets. The Contractor shall report receipt of all GFE/GFM, and report consumption of GFM to the MCA. The MCA, in conjunction with the WSM, reserve the right to deny any requests for GFE/GFM. Under no circumstances shall such denial form a basis for either work stoppages or delays in delivery.
- 3.5 <u>Quality Assurance Provisions</u>. The Contractor shall establish and maintain a Quality System that, as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality System Model for Quality Assurance in Final Inspection and Test.
- 4.0 Reports. The Contractor shall develop a Test Data Report (TDR), based on test requirements developed by the Contractor (in accordance with this SOW), which references this SOW, the NSN, part number, and serial number of the Gearbox Assembly. Upon request, the Contractor shall submit a copy of the TDR electronically (preferred), via regular mail, or facsimile to the WSM. Electronic address is "MbMatcom844-2@matcom.usmc.mil" Mailing address is: Commander, Attn (Code 844-2), Marine Corps Systems Command, 814 Radford Boulevard Suite 20343, Albany, GA 31707-0343. Facsimiles may be sent to (912) 439-5498 or DSN 567-5498, attention Weapons System Manager, Code 844-2.

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, end completing and reviewing the collection of information. Sand comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arfington, VA. 22202-4902. Respondents should be inware that notwithstending any other provision of law, no person shell be subject to any penalty for failing to comply with a collection of information if it does not display a currently velid OMB control number. Please DO NOT RETURN your form to the above address. Send completed form

A. CONTRACT LINE ITEM NO. B. EXHIBI			-	C. CATEGORY:	× ×							
). SYSTEM/ITEM			E. CONTRACT/PR	NO.	F. CONTR		<u> </u>					
AN/TPS-63(B) Gearbox Assembly												
DATA ITEM NO.	2. TITLE OF DATA ITEM		·		3. SUBTITLE				-			
A001		Remest	Request For Deviation			Configuration Management						
AUTHORITY (Data Acquisiti	on Document No.)	recquese	5. CONTRACT REFEREN			8. REDUIRING OFFICE	ingem.					
•	MAN-80640B		}	SOW 3.3		MCLB.	A (825))				
	. DIST STATEMENT REQUIRED	10. FREQUENC		12. DATE OF FIRST SUBMISS	14. DISTRIBUTION							
LT	A		SREQ	SEE BLK	16		b. COPIES					
APP CODE		11. AS OF DAT	TE .	13. DATE OF SUBSEQUENT SUBMISSION		a. Addressee	Braft Fin					
I. REMARKS						MCLBA (825-2)	0	Reg 1	Repro			
	_		_	applications is au		MCLBR (023-2)	1 0					
lks 10 & 12 - onconforming ocumentation.	RFDs shall be s material which	ubmitted does not i	to obtain auth neet prescribe	orization to delived configuration	er							
	viewed and dis	position d	etermined wit	hin 30 calendar d	lays upon							
	ransmitted via I nfigmngmnt@m											
				age of age of the	g			<u> </u>				
istribution Sta	tement A: App	roved for	public release	e, distribution is	inlimited	ļ		 	-			
							1					
									1			
								\vdash				
							1	\vdash				
							1					
									<u> </u>			
							1	$\sqcup \sqcup$	-			
						ļ		igsqcut				
							ļ					
								$\vdash \dashv$				
							1					
							1	$\vdash \dashv$				
								\vdash				
								$\vdash \dashv$				
		1				15. TOTAL	0	1	0			
PREPARED BY	1 /1/	B	H. DATE 3/3/1	1. APPROVED	3Y	V. 1	J. DATE	71	<u> </u>			
H1/11/V//	-()	مسعم	4/1/1		/ /	Un /c_	17:1	1111	66			

17. PRICE GROUP

18. ESTIMATED
TOTAL PRICE

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Readquarters Services, Directorate for information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suits 1204, Arington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penelty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

Please DD NOT RETURN your form to the above address. Send completed form to the Sovernment Issuing Contracting Officer for the Contract/PR No. isted in Block E.

SYSTEMATION ANTIPS-63(B) Gearbox Assembly AUTHOR	A. CONTRACT LINE ITEM NO. D. SYSTEM/ITEM		B. EXHIBIT		C. CATEGORY: TOP TM OTHER								
A002 Request For Waiver Configuration Management B0 MAN - 80641B SOW 3.3 B0 MARK ROBBERS ROBBERS CON SOW 3.3 B0 MARK ASREQ SEE BLANKING LT ROBBERS ASREQ SEE BLANKING B1 1.A 197 BAT TO SERSEMBLY 16 TO SOUTH TO			E. CONTRACT/PR NO.						_	-			
A002 Request For Waiver Configuration Management Separate Sep			embly			3 01071715							
SOUND STATE SOUND STATE SOUND	ATA (TEM NO. 2.	. (!!LE OF DATA !!EM				1. 208 STE							
DI-CMAN-80641B DI-CMAN-80641B TARROWS TARROWS TARROWS TARROWS A TARROWS TARROWS TARROWS TO THE STREET SEMBLESSOR A THE STREET SEMBLESSOR TO THE STREET SEMBLESOR TO THE STREET SEMBLESSOR	A002		Request	For Waiver			Configuration Management						
1. DET REPORT NO DET REPORT 1. DET REPOR			5	. CONTRACT REFEREN			6. REQUIRING		A /035				
ASREQ 11. ASREQ 11. ASSESSED BLK 16 A 11. ASSESSED 11. ASSESSSED 11. ASSESSED 11.			10. FREQUENCY			ION .	14		A (023)				
A permission A MCLBA (825-2) 0 1 0 1			1	REQ	SEE BLK 16		14. Dialinotion		T	b. COPIES			
NAMENS Ik 4 - Contractor format using .doc or .pdf software applications is authorized. Iks 10 & 12 . RFWs shall be submitted to obtain authorization to deliver onconforming material which does not meet prescribed configuration Settlement of Government. FWs will be reviewed and disposition determined within 30 calendar days upon tecepity by the Government. FWs shall be transmitted via E-Mail to the following address: Ibmatcomconfigmagmat@matcom.usmc.mil Instribution Statement A: Approved for public release, distribution is unlimited Instribution Statement A: Approved for public release, distribution is unlimited.	APP CODE		11. AS OF DATE										
ik 4 - Contractor format using .doc or .pdf software applications is authorized. lks 10 & 12 - RFWs shall be submitted to obtain authorization to deliver onconforming material which does not meet prescribed configuration counentation. FWs will be reviewed and disposition determined within 30 calendar days upon cecipt by the Government. FWs shall be transmitted via E-Mail to the following address: abmatcomconfigmagmant@matcom.usmc.mil instribution Statement A: Approved for public release, distribution is unlimited	GL44 BVe	A			1								
iks 10 & 12 - RFWs shall be submitted to obtain authorization to deliver onconforming material which does not meet prescribed configuration occurentation. FWs will be reviewed and disposition determined within 30 calendar days upon eceipt by the Government. FWs shall be transmitted via E-Mail to the following address: Indicator of the foll		ar format neine	doc or n	df coftwara (applications is au	horized	MCLB	A (825-2)	0	1	0		
FWs will be reviewed and disposition determined within 30 calendar days upon sceipt by the Government. FWs shall be transmitted via E-Mail to the following address: bimateomeontigningmin@mateom.usmc.mil istribution Statement A: Approved for public release, distribution is unlimited		_	-										
FWs will be reviewed and disposition determined within 30 calendar days upon sceipt by the Government. FWs shall be transmitted via E-Mail to the following address: bimateomeontigmngmnt@mateom.usmc.mil istribution Statement A: Approved for public release, distribution is unlimited	onconforming nocumentation.	naterial which d	loes not m	eet prescribe	d configuration								
FWs shall be transmitted via E-Mail to the following address: bimatcomconfigmingmin@matcom.usmc.mil istribution Statement A: Approved for public release, distribution is unlimited													
istribution Statement A: Approved for public release, distribution is unlimited						→r							
istribution Statement A: Approved for public release, distribution is unlimited	FWs shall be transmitted the transmitted from the t	ransmitted via E gmngmnt@matc	-Mail to the com.usmc.i	ne following mil	address:			<u>.</u>					
15. TOTAL> 0 1 0						nlimited							
······································							ļ		-		.		
······································													
······································													
							ļ						
······································								·					
······································													
······································													
······································													
······································									1				
······································													
······································													
······································													
······································							<u> </u>	 					
						:							
······································													
······································											_		
James C (Valle 3/3/00 / 07/, / 12mm 17	. PREPARED BY		//	H. DATE	I, APPROVED B	Y	15, TOTAL			1	0		
	Dans	C Na	16.	3/3/8		1 2	ر د ا		7	מגומ	برم		